

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	21	nishizawa.in. and "362".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/22 09:45
L2	49	362/462-463.ccls. and @ad<"20021220" and reflector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/22 10:06
L3	24	362/462-463.ccls. and @ad<"20021220" and reflector and (motor or solenoid) and screw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/22 11:14
L5	3	362/462-463.ccls. and @ad<"20021220" and reflector and tilt\$4 same (motor or solenoid) and screw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/22 10:10
L6	0	362/487 and @ad<"20021220" and reflector and tilt\$4 same (motor or solenoid) and screw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/22 10:12
L7	31	362/487 and @ad<"20021220" and reflector and screw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/22 10:13
L8	0	362/487.ccls. and @ad<"20021220" and reflector and tilt\$4 same (motor or solenoid) and screw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/22 10:16
L9	0	362/507 and @ad<"20021220" and reflector and tilt\$4 same (motor or solenoid) and screw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/22 10:13
L10	56	362/507 and @ad<"20021220" and reflector and screw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/22 10:17

L11	3	362/512 and @ad<"20021220" and reflector and tilt\$4 same (motor or solenoid) and screw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/22 10:20
L12	79	362/512 and @ad<"20021220" and reflector and screw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/22 10:17
L13	10	362/514 and @ad<"20021220" and reflector and tilt\$4 same (motor or solenoid) and screw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/22 10:21
L14	2	362/516 and @ad<"20021220" and reflector and tilt\$4 same (motor or solenoid) and screw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/22 10:24
L15	23	362/514 and @ad<"20021220" and reflector and tilt\$4 same screw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/22 10:22
L16	5	362/523 and @ad<"20021220" and reflector and tilt\$4 same (motor or solenoid) and screw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/22 10:24
L17	33	362/523 and @ad<"20021220" and reflector and tilt\$4 same screw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/22 10:24
L18	11	362/516 and @ad<"20021220" and reflector and tilt\$4 same screw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/22 10:24
L19	11	362/516 and @ad<"20021220" and reflector and tilt\$4 same screw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/22 10:24
L20	10	("4503486"   "4845598"   "4881152"   "4916587"   "5003436"   "5209558"   "5360282"   "5541815"   "5546283"   "5678915").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/22 10:36

L21	508	362/523.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/22 11:23
L22	28	362/523.ccls. and reflector same tilt\$4 and (shaft or drive or screw) and @ad<"20021220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/22 11:22
L23	11	362/516.ccls. and reflector same tilt\$4 and (shaft or drive or screw) and @ad<"20021220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/22 11:22
L24	251	362/523.ccls. and @ad<"20021220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/22 11:24
L25	1	(362/462-463.ccls. or 362/487.ccls. or 362/507.ccls. or 362/512.ccls. or 362/514.ccls. or 362/516.ccls. or 362/523.ccls.) and shaft with backward and @ad<"20021220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/22 11:27
L26	12	(362/462-463.ccls. or 362/487.ccls. or 362/507.ccls. or 362/512.ccls. or 362/514.ccls. or 362/516.ccls. or 362/523.ccls.) and shaft with reflector same tilt\$4 and @ad<"20021220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/22 11:27